

Product Circularity Data Sheet (PCDS)

ecoZINQ

PCDS Identity Number	Not registered
Version of the PCDS standard template	3.2

The PCDS is a product declaration containing standardized information on the circularity of a product. It is not a scoring or rating mechanism, but instead provides standardized data to support uniform metrics for other platforms.

The standard is supported by the Ministry of the Economy of Luxembourg and was created by the consultancy Positive ImpaKT in collaboration with a group of international organizations (pcds.lu).

The PCDS is completed on the basis on how the manufacturer designed its product, and not on how the next user in the value chain intends to use it. The manufacturer is solely responsible for the accuracy of statements.

The PCDS is to be completed in accordance with the Guidance Document version 3.2 (https://pcds.lu/wp-content/uploads/2020/11/20200214_Light_PCDS_v3.2s_FORM.pdf). For the sections 2-5, only the statements marked as "TRUE" are visible on the output form.

SECTION 1: Product and Company Identification

Product Identifiers		
1100	Product name	ecoZINQ
1101	Brand	ZINQ
1102	CAS-No	
1103	Product ID code	
1104	Global Trade Item Number (GTIN)	
Manufacturer Identification		
1200	Company name	ZINQ GmbH & Co. KG
1201	Street address	Nordring 4
1202	City	Gelsenkirchen
1203	Postal Code	45894
1204	Country	Germany
1205	Country specific corporate identification number	
1206	Global Location Number (GLN)	
Production Site Information		
1300	Production Site Name	ZINQ Gelsenkirchen GmbH &
		Co. KG
1301	Street address	An den Schleusen 6
1302	City	Gelsenkirchen
1303	Postal Code	45881
1304	Country	Germany
DCDC	issuance	
		1
	Version number	1
1401	Date of initial PCDS issuance	01.04.2023
1402	Name of person responsible for PCDS issuance	Dr. Thomas Pinger
1403	Function of person or department responsible for PCDS issuance	Sustainability Manager
1404	Email of person or department responsible for PCDS issuance	info@zinq.com



1405	Telephone number of person or department responsible for +49 209 9403 400
	PCDS issuance
PCDS	revision
1501	Date of updated PCDS version
1502	Name of person responsible for PCDS revision
1503	Function of person or department responsible for PCDS revision
1504	Email of person or department responsible for PCDS revision
1505	Telephone number of person or department responsible for

SECTION 2: Composition/Information on product constituents

Chemical substance threshold

PCDS revision

The chemical substance threshold used by the manufacturer for disclosing the product composition is 0.01% (100 ppm).

Product composition disclosure

- 2110 The product composition disclosed at the defined threshold has been validated by a third party.
- The product has been awarded an independent certification or standard related to its composition.

Chemical composition

The weight fraction of all disclosed chemical substances is >99%.

Hazard Statements

- The product does not contain Substances of Very High Concern from the REACH Candidate list in concentration above 0.1% by weight.
- The product does not contain substances that have a harmonized classification as CMR 1A or 1B in concentration above classification criteria for mixtures and/or specific concentration limits related to a substance defined in the CLP regulation (EC) n° 1272/2008.
- The product does not contain restricted substances that could exceed limits defined in Annex XVII of REACH, related to the specific use which is relevant for this product.
- The product does not require a warning under California Proposition 65.

Pre-consumer recycled content

- The product contains >10-25 % pre-consumer recycled content by weight.
- Any chemical substance present in the pre-consumer recycled content above 1% by weight is disclosed.
- The pre-consumer recycled content does not contain any hazardous substance in concentration above 0.1% by weight of pre-consumer recycled content.

Post-consumer recycled content

2502 The product contains >10-25 % post-consumer recycled content by weight.



- 2511 Any chemical substance present in the post-consumer recycled content above 1% by weight is disclosed.
- The post-consumer recycled content does not contain any hazardous substance in concentration above 0.1% by weight of post-consumer recycled content.

Sourcing statements

- The product contains >95% renewable content by weight.
- A certification is available showing that the renewable content is managed in a sustainable way.

SECTION 3: Design for better use

Designed for maintenance & repair

- 3000 The product can be maintained & repaired by untrained personnel at the location of the product use.
- 3001 The product can be maintained & repaired by trained personnel at the location of the product use.
- The product requires no maintenance or repair if the intended use of the product is followed.
- 3010 Consumables are easily replaced by untrained personnel.
- 3020 Spare parts are made available by the manufacturer or an authorized representative during the functional use period of the product.

Designed for safe operation

3100 No harmful dispersion or emission occurs during use phase according to third party tests.

Designed for actively positive impacts

3200 The product is designed for actively positive impacts.

SECTION 4: Design for disassembly

Demounting

4000 The product is designed to be installed and demounted using reversible connectors.

Disassemblina

4106 Above 95 % of the product (weight in kg) is designed to be cleanly removed from the product.

Dismantling

4206 Above 95 % of the product (weight in kg) is designed to be dismantled to the level of materials that can be reused or recycled for other products.



SECTION 5: Design for re-use

Circularity pathways/scenarios – Product designed for ... The product is designed for re-use as-is or with minimal modification. The product is designed for refurbishment. The product is designed for remanufacturing. > 99-100 % of the product content is designed for recycling at the same level of quality. Less than 1% of the product content is anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc. The manufacturer/ industry association has a dedicated collection system in place to gather and deliver products for recycling. The portion of the product known to be emitted into the environment during use is designed for that purpose.

